

EPL 21807 Monitoring Report September 2026

SSMWSASSM-PLD-1NL-NL000-EV-RPT-000078

Parklife Metro D&C

Parklife Metro © All rights reserved

Approval Record

Revision	Author	Date	Issue	Reviewed by	Approved by
00	[redacted]	26/10/2026	Initial Draft	[redacted]	[redacted]
Signature				[redacted]	[redacted]

Parklife Metro © All rights reserved

Contents

1 Introduction 5

1.1 Background 5

1.1.1 Stations, Systems, Trains, Operations and Maintenance works 5

1.2 Scope of this report 7

2 Reporting requirements 8

3 Monitoring 15

3.1 Weather Monitoring 15

3.2 Noise and Vibration Monitoring 16

3.3 Water Monitoring 17

3.3.1 Surface water monitoring 17

3.3.2 Discharge to water 17

Appendix A Weather Observations – Penrith Lakes 22

Weather Observations – Badgerys Creek 23

Appendix B Noise Monitoring 24

Appendix C Discharge to water 25

Appendix D Surface water monitoring 26

Appendix E Premise Maps – September 27

Parklife Metro © All rights reserved

Table of Figures

FIGURE 1 OVERVIEW OF SMWSA PROJECT 6

Table of Tables

TABLE 1 LICENCE DETAILS 7

TABLE 2 EPL 21807 MONITORING REQUIREMENTS 9

TABLE 3 WEATHER SUMMARY AND TRIGGER WEATHER EVENTS FOR REPORTING PERIOD 15

TABLE 4 SUMMARY OF NOISE MONITORING FOR REPORTING PERIOD.....16

TABLE 5 MONITORING/DISCHARGE POINTS AND AREAS 18

TABLE 6 - MONTHLY WEATHER OBSERVATION TABLE (PENRITH LAKES).....22

TABLE 7 - MONTHLY WEATHER OBSERVATION TABLE (BADGERYS CREEK).....23

TABLE 8 DETAILED NOISE MONITORING DATA.....24

TABLE 9 WATER DISCHARGE TABLE 25

Parklife Metro © All rights reserved

1 Introduction

1.1 Background

Sydney Metro is Australia's biggest public transport program comprising four main packages of work including Metro North-West Line, Sydney Metro City and Southwest, Sydney Metro West, and Sydney Metro Western Sydney Airport (SMWSA, the Project). The SMWSA will become the transport spine for Greater Western Sydney, connecting communities and travellers with the new Western Sydney International (Nancy-Bird Walton) Airport (referred to as Western Sydney International) and the growing region.

The Project involves the construction and operation of a new metro railway line around 23km in length that extends from the existing Sydney Trains suburban T1 Western Line at St Marys in the north to the new Bradfield Station in the south at Bringelly. The alignment includes a combination of tunnel, surface, bridges and viaduct sections, and comprises of six new metro stations between St Marys and the Bradfield Core precinct, as well as a stabling and maintenance facility and operational control centre to support the operation of the new metro railway line (see Figure 1).

1.1.1 Stations, Systems, Trains, Operations and Maintenance works

Parklife Metro D&C has been engaged to deliver the Stations, Systems, Trains, Operations and Maintenance (SSTOM) works. The scope of the Stations, Systems, Trains, Operations and Maintenance (SSTOM) package comprises:

- construction of the six new stations
- installation of tracks, signalling, mechanical and electrical systems
- supplying new driverless trains
- construction of stabling and maintenance facility at Orchard Hills
- operation and maintenance of the line and its assets, and
- handback of operations and maintenance at the end of term.

Parklife Metro © All rights reserved



FIGURE 1 OVERVIEW OF SMWSA PROJECT

Parklife Metro © All rights reserved

1.2 Scope of this report

Parklife Metro D&C have been issued an Environment Protection Licence (EPL No. 21807) from the NSW Environment Protection Authority (EPA) for the SMWSA SSTOM Works. The EPL applies to the works approved under the Infrastructure Approval SSI-10051 associated with the delivery of the off-airport portion of the SMWSA SSTOM Works, as detailed in Table 1. This EPL Monitoring Report provides the results of all pollution monitoring required to be measured or monitored by the licensee of EPL 21807 within the reporting period as required by Section 66 of the *Protection of the Environment Operations Act 1997* (POEO Act) and with reference to EPA Publication *Requirements for publishing pollution monitoring data* (Environment Protection Authority, 2013).

TABLE 1 LICENCE DETAILS

Licence Details	
Number	21807
Copy of Licence	Environment & Heritage | POEO Licences, Application and Notice Detail (nsw.gov.au)
Anniversary Date	20-July
Licensee	WEBUILD S.P.A
Premises	SYDNEY METRO WESTERN SYDNEY AIRPORT SSTOM PACKAGE FOOTPRINT SYDNEY METRO WESTERN SYDNEY AIRPORT-STATIONS, SYSTEMS, TRAINS, OPERATION & MAINTENANCE PACKAGE
Scheduled Activity	Railway activities – railway infrastructure construction

Parklife Metro © All rights reserved

2 Reporting requirements

Under the POEO Act, holders of environment protection licences (licensees) must publish or make pollution monitoring data available to members of the public.

The POEO Act Section 66 requires:

"Conditions requiring monitoring, certification or provision of information, and related offences

(1) Monitoring The conditions of a licence may require—

(a) monitoring by the holder of the licence of the activity or work authorised, required or controlled by the licence, including with respect to—

(i) the operation or maintenance of premises or plant, and

(ii) discharges from premises, and

(iii) relevant ambient conditions prevailing on or outside premises, and

(iv) anything required by the conditions of the licence, and

(b) the provision and maintenance of appropriate measuring and recording devices for the purposes of that monitoring, and

(c) the analysis, reporting and retention of monitoring data.

(2) False or misleading information A holder of a licence who supplies information, or on whose behalf information is supplied, to the appropriate regulatory authority under the conditions of the licence is guilty of an offence if the information is false or misleading in a material respect."

The primary objective of the EPL Monitoring Report is that members of the public have access to the results of all pollution monitoring (which a licence specifies must be carried out) in a way that is meaningful to them.

The monitoring data that must be published and/or made available on request is any data that is obtained as a result of a monitoring condition on a licence that relates to air, water (surface or groundwater), noise and/or land pollution. The data to be published or provided is limited to data that relates to pollutants generated, discharged or emitted from the licensed premises.

The data is provided in tabular format that is easy for the general public to understand. Tables definitively display raw data values, while graphs and charts are useful for overviews and visualisation of long-term trends. Raw data will be provided upon request.

This EPL Monitoring Report will provide explanations as to why data may appear to be missing, which may be due to there being no discharge or the level of pollutant being below the detection level of the measurement instrument.

It's possible from time to time that incorrect data may get published in good faith. As soon as practicable after the licensee becomes aware that the published pollution monitoring data is incorrect or misleading, licensees must then publish a correction log to correct this data that is incorrect or misleading.

Table 2 provides a summary of the monitoring requirements of EPL 21807.

Parklife Metro © All rights reserved

TABLE 2 EPL 21807 MONITORING REQUIREMENTS

EPL Condition	Requirement	Report Reference
Weather		
M5.1	The licensee must monitor and record temperature, wind direction, wind velocity and rainfall at either the project weather station, or through analysis of equivalent weather information obtained from the Australian Bureau of Meteorology. Monitoring must: a) be representative of the premises; b) commence prior to any works that may cause sediment to leave the premises; and c) continue to be operated until soil disturbance activities cease at the premises and the site has been stabilised.	Section 3.1 Appendix A
Noise		
L5.9	Works outside of standard construction hours – Regulatory Requirements In undertaking any works and activities outside of standard construction hours under condition L5.8, the licensee must comply with the following: a) Prepare a construction noise and vibration impact assessment in accordance with the Interim Construction Noise Guideline (DEC, 2009) that is to include: i. a description of the proposed works and activities outside of standard construction hours; ii. predictions of LAeq (15 minute) dB noise levels at noise sensitive receivers from these works and activities, where noise levels are predicted to be greater than those permitted under condition L5.3; and iii. a monitoring plan to validate the noise predictions, based on monitoring at the boundary of representative sensitive receivers during noise generating activities that are representative of the works and activities, including during the period/s predicted to have the highest noise level impacts. b) Undertake noise monitoring in accordance with the monitoring plan required by condition L5.9(a)(iii).	Section 3.2 Appendix B

Parklife Metro © All rights reserved

L5.10	St Marys Station, Orchard Hills Station and Bradfield Station - Out of Hours Concrete Works Concrete works associated with station box construction at St Marys Station, Orchard Hills Station and Bradfield Station, including concrete pouring, finishing and cleaning, are permitted to be undertaken outside of standard construction hours specified in L5.1 provided that: a) Works are required to achieve compliance with overarching project technical requirements, b) Works had already begun within a reasonable time prior to end of standard construction hours, c) Out of Hours (OOH) works are undertaken from 5am to 7am and 6pm to 12am (midnight), Monday to Friday and 6am to 8am and 1pm to 6pm on Saturday, d) Station box base slab and wall concreting activities and supporting formwork and reinforcement activities are permitted to occur up to 12am (midnight) Monday to Friday a total of 12 times per month until all base slabs and wall pours are completed, e) Station box base slab and wall concreting activities and supporting formwork and reinforcement activities (e.g. using concrete pump, vibrators, concrete trucks, etc.) must be completed before 12am (midnight) on Monday to Friday, f) All other concreting activities (e.g. using concrete pump, vibrators, concrete trucks, etc.) must be completed before 10pm on Monday to Friday, g) Concrete finishing works (e.g. power floats, hand tools) must be completed before 12am (midnight) on Monday to Friday, h) The licensee is required to undertake noise monitoring in accordance with condition L5.9(b), i) The licensee is required to undertake noise monitoring on a monthly basis at each Station and additionally monitor the first three instances of OOH concrete works at each Station: 1. commencing prior to 7am, and 2. extending past 10pm j) The licensee is required to provide the EPA with a Noise Monitoring Report within 30 days of the end of each month, k) Works are permitted to occur until 31 August 2026.	Section 3.2 Appendix B
L5.11	Bradfield Station - Out of Hours Precast Concrete Beam Installation Precast beam installation for station box construction at Bradfield Station sites is permitted to be undertaken outside of standard construction hours specified in L5.1, provided that: a) Works are required to achieve compliance with project requirements for unloading oversize/overmass precast beam deliveries and site safety requirements, b) Works and activities are undertaken from 12am (midnight) to 7am, Monday to Friday nights, c) The licensee is required to undertake noise monitoring in accordance with condition L5.9(b), d) The licensee is required to undertake noise monitoring at each Station on a monthly basis, and additionally monitor: 1. the first two instances of OOH concrete beam installation at each Station, and 2. the first two instances of OOH concrete beam installation at each Station that occurs concurrently with activities permitted under Condition L5.10. e) The licensee is required to provide the EPA with a Noise Monitoring Report within 30 days of the end of each month, f) Works are permitted to occur until 31 March 2027.	Section 3.2 Appendix B

Parklife Metro © All rights reserved

L5.12	Works outside standard construction hours - 24-hour works a) The following works are permitted to be undertaken 24 hours a day, 7 days per week for activities at the St Marys Station Site, Claremont Meadows services shaft site, Orchard Hills Station site, Bringelly services shaft site, and Bradfield Station site: i. Tunnel and underground station box fit out works and ancillary surface support works ii. Haulage and delivery of materials to the Claremont Meadows services shaft site and Bringelly services shaft site. b) The licensee is required to undertake attended noise monitoring: 1. on the first two occasions of 24-hour works at each site: i. St Marys Station site, ii. Claremont Meadows services shaft site, iii. Orchard Hills Station site, iv. Bringelly services shaft site, v. Bradfield Station site, and 2. noise monitoring must occur in the night time period. 3. the licensee is required to provide the EPA with a Noise Monitoring Report within 30 days of the end of the month in which noise monitoring was undertaken.	
M4.4	The licensee must undertake noise and vibration monitoring as directed by an authorised officer of the EPA. Where the monitoring is requested to take place on private land (for example a residential property) the licensee must request permission to access the premises in advance and keep a record of permission requests and responses. If a licensee is unable to obtain permission, the licensee must undertake the monitoring at an indicative location where possible and they must provide the response (including any nil response) to the EPA.	Not triggered
Community Agreements The licensee may work outside standard construction hours (as defined in L5.1) in circumstances other than those permitted under conditions L5.3, L5.4, or any other condition of the licence, subject to the condition outlined Section E1.		
E1.4	A noise validation monitoring plan must be submitted to the EPA for approval as part of the community agreement documentation prior to any OOHW occurring.	Section 3.2 Appendix B
E1.5	Validation monitoring must be undertaken for any OOHW that are approved under condition E1.1 and must: a) be undertaken in accordance with the monitoring plan prepared under condition E1.4; b) be performed by a Competent Person; c) be performed on at least the first 2 occasions (day, evening, nights) where OOHW will be undertaken and are likely to impact Noise Sensitive Receivers; d) be performed on any other occasion (day, evening, night) where the nature of the works is likely to cause greater noise impacts than the first 2 occasions; e) be representative of the impacts in terms of monitoring locations, time and duration of measurements; and f) be recorded and provided to an EPA officer upon request.	Section 3.2 Appendix B
Water		

Parklife Metro © All rights reserved

P1.1

The following points referred to in the table are identified in this licence for the purposes of the monitoring and/or the setting of limits for discharges of pollutants to water from the point.

Section 3.3.2

Table 5

EPA Identification no	Type of Monitoring Point	Type of Discharge Point	Location Description
2	Discharge and Monitoring	Discharge and Monitoring	The outlet of the water treatment plant on the St Marys site discharging to South Creek
3	Discharge and Monitoring	Discharge and Monitoring	The outlet of the sediment basin on the Orchard Hills site discharging to an Unnamed Creek (tributary of South Creek) referred to in Condition P1.2
6	Discharge and Monitoring	Discharge and Monitoring	The outlet of the sediment basin discharging to Cosgroves Creek referred to in Condition P1.2
7	Discharge and Monitoring	Discharge and Monitoring	The outlet of the sediment basin on Orchard Hills site discharging to South Creek referred to in Condition P1.2
8	Discharge and Monitoring	Discharge and Monitoring	The outlet of the sediment basin near Elizabeth Drive discharging to Badgerys Creek referred to in Condition P1.2
9	Discharge and Monitoring	Discharge and Monitoring	The outlet of the sediment basin at the Claremont Meadows site discharging to local stormwater referred to in Condition P1.2.
10	Discharge and Monitoring	Discharge and Monitoring	The outlet of the sediment basin at the Claremont Meadows site discharging to local stormwater referred to in Condition P1.2.
11	Discharge and Monitoring	Discharge and Monitoring	The outlet of the sediment basin discharging to an unnamed tributary of Blaxland Creek referred to in Condition P1.2.
12	Discharge and Monitoring	Discharge and Monitoring	The outlet of the sediment basin on the Stabling and Maintenance Facility site discharging to Blaxland Creek referred to in Condition P1.2
13	Discharge and Monitoring	Discharge and Monitoring	The outlet of the sediment basin located south of Patons Lane discharging to an unnamed tributary of South Creek referred to in Condition P1.2
14	Discharge and Monitoring	Discharge and Monitoring	The outlet of the sediment basin at the Bringelly site discharging to Badgerys Creek referred to in Condition P1.2.
15	Discharge and Monitoring	Discharge and Monitoring	The outlet of the sediment basin near Luddenham Station discharging to an unnamed tributary of South Creek referred to in Condition P1.2
16	Discharge and Monitoring	Discharge and Monitoring	The outlet of the sediment basin on the Linewide North site discharging to Blaxland Creek referred to in Condition P1.2
17	Discharge and Monitoring	Discharge and Monitoring	The outlet of the sediment basin on the Bradfield site discharging to Thompson Creek referred to in Condition P1.2

Parklife Metro © All rights reserved

<table>
<tr>
<td>M2.2</td>
<td>Water and/or Land Monitoring Requirements
POINT 3, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17
<table>
<tr><th>Pollutant</th><th>Unit of measure</th><th>Frequency</th><th>Sampling Method</th></tr>
<tr><td>Oil and Grease</td><td>Visible</td><td>Special Frequency 1</td><td>Visual inspection</td></tr>
<tr><td>pH</td><td>pH</td><td>Special Frequency 1</td><td>Probe</td></tr>
<tr><td>Turbidity</td><td>nephelometric turbidity units</td><td>Special Frequency 1</td><td>Probe</td></tr>
</table>
POINT 2
<table>
<tr><th>Pollutant</th><th>Units of measure</th><th>Frequency</th><th>Sampling Method</th></tr>
<tr><td>Aluminium</td><td>milligrams per litre</td><td>Daily during any discharge</td><td>Grab sample</td></tr>
<tr><td>Ammonia</td><td>milligrams per litre</td><td>Daily during any discharge</td><td>Grab sample</td></tr>
<tr><td>Chromium (VI) Compounds</td><td>milligrams per litre</td><td>Daily during any discharge</td><td>Grab sample</td></tr>
<tr><td>Copper</td><td>milligrams per litre</td><td>Daily during any discharge</td><td>Grab sample</td></tr>
<tr><td>Electrical conductivity</td><td>microsiemens per centimetre</td><td>Daily during any discharge</td><td>Grab sample</td></tr>
<tr><td>Nitrogen (total)</td><td>milligrams per litre</td><td>Daily during any discharge</td><td>Grab sample</td></tr>
<tr><td>Oil and Grease</td><td>Visible</td><td>Daily during any discharge</td><td>Visual Inspection</td></tr>
<tr><td>pH</td><td>pH</td><td>Daily during any discharge</td><td>Probe</td></tr>
<tr><td>Phosphorus (total)</td><td>milligrams per litre</td><td>Daily during any discharge</td><td>Grab sample</td></tr>
<tr><td>TSS</td><td>milligrams per litre</td><td>Daily during any discharge</td><td>Grab sample</td></tr>
<tr><td>Zinc</td><td>milligrams per litre</td><td>Daily during any discharge</td><td>Grab sample</td></tr>
</table>
</td>
<td>Section 3.3.2
Appendix C</td>
</tr>
<tr>
<td>M2.3</td>
<td>For the purposes of Condition M2.2 and the Table thereto, 'Special Frequency 1' means:
a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge, when it is safe to do so; and
b) when rainfall causes a discharge from a sediment basin which has not been emptied within the design management period following cessation of a rainfall event, when it is safe to do so.</td>
<td>Section 3.3.2</td>
</tr>
<tr>
<td>E2.1</td>
<td>The licensee must undertake surface water monitoring of receiving waterways at locations upstream, downstream and adjacent to discharge points 2 identified in Condition P1.1 at fortnightly intervals and at least once during each discharge event. This monitoring must be undertaken for a minimum of 3 months:
a) from the date that point 2 was added to the licence; and
Surface water monitoring results must include:
a) quality and quantity of all parameters that are identified in the table in M2.2 for discharge points 2; and
b) results must be submitted to the EPA no more than 2 weeks after each monitoring event has occurred for a minimum of 3 months:
i. from the date that point 2 was added to the licence.</td>
<td>Section 3.3.1</td>
</tr>
<tr>
<td>E3.1</td>
<td>Water Treatment Plant (WTP) Performance Reporting
A) The licensee must undertake water quality sampling of all discharges from the WTP (as identified as Point 2 under condition P1.1 and submit to the EPA a WTP Performance Report within 10 business days of each sample result being taken. Sampling must be undertaken:
i) daily during discharge
ii) as per condition M2.2, following this sampling frequency or as directed by the EPA.</td>
<td>Not Triggered</td>
</tr>
</table>

Parklife Metro © All rights reserved

Additional Monitoring Conditions		
M4.5	The licensee must undertake monitoring, sampling, video recording and/or take photographs: a) if the EPA or licensee reasonably suspects that an event has occurred at the premises or in connection with the carrying out of the activities that has caused, is causing, is likely to cause or has the potential to cause material harm to the environment (whether the harm occurs on or off premises to which the license applies); b) as soon as practicable; and c) as directed by an authorised officer.	Not triggered

Parklife Metro © All rights reserved

3 Monitoring

This section presents summaries of the monitoring completed in the reporting period from 1 September 2026 to 30 September 2026.

Detailed monitoring results for each program are presented in the Appendices.

3.1 Weather Monitoring

Meteorological observations were captured using the Bureau of Meteorology Weather Stations - Badgerys Creek (Station 067108) and Penrith Lakes (Station 067113). Meteorological data for the month of September can be found within Appendix A.

Penrith Lakes Station reported 14.0 mm total rainfall for the reporting period, with two days exceeding 1mm, one day exceeding 10mm, and no days exceeding 20mm of rain.

During the reporting period, 19 days recorded wind gusts greater than 25km/hr, three days where the maximum wind gust recorded was greater than 50 km/h, and one day where the maximum wind gust recorded was greater than 60 km/hr.

Badgerys Creek Station reported 8.2 mm total rainfall for the reporting period, with three days exceeding 1mm, no days exceeding 10mm, and no days exceeding 20mm of rain.

During the reporting period, 22 days recorded wind gusts greater than 25km/hr, three days where the maximum wind gust recorded was greater than 50 km/h, and one day where the maximum wind gust recorded was greater than 60 km/hr.

Detailed weather observation records for the reporting period are presented in Appendix A.

This information is used daily on site to assess daily activities and consider mitigation measures as required.

TABLE 3 WEATHER SUMMARY AND TRIGGER WEATHER EVENTS FOR REPORTING PERIOD

Weather Event (Penrith Lakes Station)	Observation	Weather Event (Badgerys Creek Station)	Observation
Minimum temperature (°C)	5.4	Minimum temperature (°C)	2.7
Maximum temperature (°C)	35.1	Maximum temperature (°C)	35.4
Total rainfall (mm)	14.0	Total rainfall (mm)	8.2
Number of days with rain (>1mm)	2	Number of days with rain (>1mm)	3
Number of days with rain (>10mm)	1	Number of days with rain (>10mm)	0
Number of days with rain (>20mm)	0	Number of days with rain (>20mm)	0
Number of days with >25km/h wind gust	19	Number of days with >25km/h wind gust	22
Number of days with >50km/h wind gust	3	Number of days with >50km/h wind gust	3

Parklife Metro © All rights reserved

Number of days with >60km/h wind gust	1	Number of days with >60km/h wind gust	1

3.2 Noise and Vibration Monitoring

Noise monitoring is required under Conditions L5.9, L5.10, L5.11, L5.12, and E1.5 to validate noise predications for work undertaken outside of standard construction hours in accordance with the construction noise and vibration assessment and monitoring plan. All noise monitoring performed under EPL (21807) will be included in Appendix B.

TABLE 4 SUMMARY OF NOISE MONITORING FOR REPORTING PERIOD

Date	Monitoring Location	Attended / Continuous	Description
02/09/2026	43a Luddenham Road, Orchard Hills	Attended	Secluded resident east of SMF
16/09/2026	4 Chesham Street, St Marys	Attended	House opposite St Marys Station
18/09/2026	38 Derwent Road, Bradfield	Attended	House south of Bringelly Shaft Facility
22/09/2026	3 Chesham Street, St Marys	Attended	House opposite St Marys Station

Parklife Metro © All rights reserved

3.3 Water Monitoring

3.3.1 Surface water monitoring

As per Condition E2.1 fortnightly sampling is required for at least 3 months from the date Point 2 was added to the licence (30 November 2023). This period ended on 30 February 2024, and additional background monitoring was obtained through May and April. This monitoring is now complete. These water monitoring results will be presented in Appendix C accordingly.

3.3.2 Discharge to water

The discharge of water from sediment basin occurred at the following discharge point during the reporting period:

- SSTOM-017

The EPL discharge criteria apply to sediments basins identified in condition L2.4 of the approved EPL 21807. Basins and discharge points are summarised in Table 5.

Parklife Metro © All rights reserved

TABLE 5 MONITORING/DISCHARGE POINTS AND AREAS

ID	Construction Status	EPA ID	Easting	Northing	Description of location of discharge point	Catchment name	Name of nearest waters	Direct discharge to waters	Date added to EPL
SSTOM-002	Not Active	2	294041.62	6261905.98	The outlet of the water treatment plant on the St Marys site at former Plaza	South Creek	South Creek	No	15/12/2023
SSTOM-003	Not active	3	291819.86	6258565.85	The outlet of the sediment basin on the Orchard Hills site discharging to an Unnamed Creek (tributary of South Creek)	South Creek	Blaxland Creek	No	14/02/2024
SSTOM-006	Not active	6	291092.66	6252180.95	The outlet of the sediment basin discharging to Cosgrove Creek	South Creek	Cosgrove Creek	No	04/09/2024
SSTOM-007	Not active	7	292065.7	6259303.9	The outlet of the sediment basin discharging to South Creek	South Creek	South Creek	No	15/11/2024
SSTOM-008	Not active	8	291981.6	6249912.7	The outlet of the sediment basin discharging to Badgerys Creek	Badgerys Creek	Badgerys Creek	No	4/12/2024
SSTOM-009	Not active	9	291981.6	6249912.7	The outlet of the sediment basin discharging to Claremont Creek	South Creek	Claremont Creek	No	16/01/2025
SSTOM-010	Not active	10	292018.2	6261255.3	The outlet of the sediment basin discharging to Claremont Creek	South Creek	Claremont Creek	No	16/01/2025
SSTOM-011	Not active	11	291965.4	6258444.4	The outlet of the sediment basin discharging to Badgerys Creek	South Creek	Badgerys Creek	No	16/01/2025
SSTOM-012	Not active	12	291985.4	6257951.5	The outlet of the sediment basin discharging to Blaxland Creek	South Creek	Blaxland Creek	Yes	16/01/2025
SSTOM-013	Not Active	13	291528.1	6255484.1	The outlet of the sediment basin located south of Patons Lane to Unnamed Creek	South Creek	Unnamed Creek	No	23/01/2025

Parklife Metro © All rights reserved
Confidential

SSTOM-014	Not Active	14	289482.8	6245852.0	The outlet of the sediment basin at the Bringelly site discharging to Badgerys Creek.	South Creek	Badgerys Creek	Yes	23/01/2025
SSTOM-015	Not Active	15	290913.5	6253487.3	The outlet of the sediment basin near Luddenham Station discharging to an unnamed tributary of South Creek	South Creek	South Creek	No	25/03/2025
SSTOM-016	Not Active	16	291749.9	6257486.0	The outlet of the sediment basin near Linewide (South Lansdown Road) Station discharging to Blaxland Creek	South Creek	Blaxland Creek	No	4/06/2025
SSTOM-017	Active	17	290808.06	6243841.41	The outlet of the sediment basin on the Bradfield site discharging to Thompson Creek referred to in Condition P1.2	South Creek	Thompson Creek	Yes	14/10/2025

Parklife Metro © All rights reserved
Confidential

Parklife Metro D&C

Appendices

Parklife Metro © All rights reserved
Confidential

Appendix A Weather Observations – Penrith Lakes

TABLE 6 - MONTHLY WEATHER OBSERVATION TABLE (PENRITH LAKES)

Penrith, New South Wales
September 2026 Daily Weather Observations

Australian Government
Bureau of Meteorology

Date	Day	Temps		Rain	Evap	Sun	Max wind gust			9am						3pm					
		Min	Max				Dirn	Spd	Time	Temp	RH	Cld	Dirn	Spd	MSLP	Temp	RH	Cld	Dirn	Spd	MSLP
		°C	°C	mm	mm	hours		km/h	local	°C	%	eighths		km/h	hPa	°C	%	eighths		km/h	hPa
1	Tu	6.8	27.2	0			NW	39	15:21	13.5	80		N	4		26.4	27		WNW	17	
2	We	10.7	28.7	0			NW	46	11:59	23.3	44		N	17		27.8	27		WNW	17	
3	Th	13.7	27.1	0			WSW	48	10:26	23.1	48		NW	11		25.5	26		W	19	
4	Fr	8.2	24.7	0			NW	24	06:04	18.5	49		S	4		24.2	33		NNE	7	
5	Sa	9.7	33.1	0			WNW	113	15:52	18.2	65		N	9		32.0	23		W	31	
6	Su	13.3	24.0	0			WSW	50	00:50	19.3	41		SW	2		23.7	30		SE	13	
7	Mo	11.5	24.9	0			SSE	35	19:41	18.6	63		NNE	9		23.8	41		SSE	13	
8	Tu	11.4	20.1	0			S	28	01:58	16.2	53		SSW	13		18.4	54		ESE	9	
9	We	6.6	22.4	0			SE	35	16:32	13.7	70		ESE	4		18.2	56		SSE	19	
10	Th	8.8	20.0	0			SSE	22	12:41	14.7	48		N	2		18.6	44		SE	7	
11	Fr	9.1	21.4	0			ENE	15	13:58	13.3	76		N	4		20.7	44		ENE	7	
12	Sa	7.1	25.0	0			NE	24	11:56	14.4	74		NNE	6		24.7	37		NE	9	
13	Su	9.6	27.8	0			ENE	19	18:07	16.1	75		S	4		26.7	29		NW	7	
14	Mo	10.6	28.5	0			N	28	16:42	17.3	71		NW	4		28.0	31		N	13	
15	Tu	11.7	29.8	0			SSE	30	16:23	20.6	55		SSE	2		26.8	22		W	17	
16	We	9.2	19.0	0			SSE	50	13:08	14.1	32		S	19		18.6	28		SE	13	
17	Th	8.8	21.2	0			S	30	08:30	15.1	46		SSW	15		20.2	31		NNW	7	
18	Fr	5.4	27.6	0			WNW	24	20:43	14.7	64		NNW	4		26.3	20		N	7	
19	Sa	6.9	31.6	0			WNW	28	17:23	19.4	42		N	4		30.8	14		NNW	9	
20	Su	10.1	33.8	0			NW	41	14:08	20.9	47		N	2		32.1	15		NW	22	
21	Mo	10.8	35.0	0			SE	56	12:06	24.5	35		NNW	9		22.2	58		SE	20	
22	Tu	12.2	17.7	0			SE	22	16:04	14.9	66		SSW	9		16.7	67		S	11	
23	We	13.3	24.6	0			N	24	14:16	17.5	77		S	6		23.6	52		ENE	7	
24	Th	12.8	26.8	0						18.7	79		N	4		26.0	51		NE	7	
25	Fr	15.2	30.5	0						18.2	84		NW	4		28.2	40		SSW	13	
26	Sa	13.1	35.1	12.0			SSE	57	19:17	21.1	70		SW	2		34.2	20		W	17	
27	Su	14.0	17.3	0.2			SSW	33	11:38	16.1	70		SW	6		13.2	95		S	7	
28	Mo	12.6	18.4	1.8			ENE	22	11:39	16.8	57		S	9		17.0	58		ESE	7	
29	Tu	11.3	23.6	0			NNE	30	10:25	17.9	56		N	4		22.8	35		NNW	6	
30	We	8.3	29.7	0			NNE	26	14:46	16.2	65		NNW	6		29.1	24		NNE	11	
Statistics for September 2026																					
	Mean	10.4	25.9							17.6	60			6		24.2	37			12	
	Lowest	5.4	17.3							13.3	32		#	2		13.2	14		NNW	6	
	Highest	15.2	35.1	12.0			WNW	113		24.5	84		S	19		34.2	95		W	31	
	Total			14.0																	

Observations were drawn from Penrith Lakes AWS {station 067113}

IDCJDW2111.202609 Prepared at 13:00 UTC on 21 Oct 2026
Copyright © 2026 Bureau of Meteorology
Users of this product are deemed to have read the information and accepted the conditions described in the notes at
http://www.bom.gov.au/climate/dwo/IDCJDW0000.pdf

Weather Observations – Badgerys Creek

TABLE 7 - MONTHLY WEATHER OBSERVATION TABLE (BADGERYS CREEK)

Badgerys Creek, New South Wales
September 2026 Daily Weather Observations

Australian Government
Bureau of Meteorology

Date	Day	Temps		Rain	Evap	Sun	Max wind gust			9am						3pm					
		Min	Max				Dirn	Spd	Time	Temp	RH	Cld	Dirn	Spd	MSLP	Temp	RH	Cld	Dirn	Spd	MSLP
		°C	°C	mm	mm	hours		km/h	local	°C	%	eighths		km/h	hPa	°C	%	eighths		km/h	hPa
1	Tu	4.7	26.6	0			NNW	43	13:27	14.2	73		N	4	1026.5	25.9	29		NW	22	1019.2
2	We	11.2	27.9	0			WNW	41	12:53	21.2	48		NNE	19	1016.7	25.9	31		W	15	1012.7
3	Th	12.1	26.4	0			W	59	10:15	22.6	51		NNE	9	1009.8	25.8	28		W	17	1011.8
4	Fr	6.3	24.0	0.2			SW	30	09:45	17.4	51		W	13	1022.1	22.6	35		NNW	13	1018.5
5	Sa	7.1	33.0	0			WNW	81	14:35	18.5	58		NNE	15	1014.9	29.6	28		WNW	54	1006.8
6	Su	12.7	23.5	1.8			WSW	57	03:17	19.4	41		SW	15	1017.2	23.1	34		SSW	7	1017.3
7	Mo	8.2	24.6	0			SW	41	15:32	19.1	56		NNE	7	1021.7	21.7	32		SW	28	1018.6
8	Tu	8.8	19.0	0.2			WSW	31	08:06	15.2	55		SW	19	1027.3	17.5	53		E	9	1023.8
9	We	3.4	21.7	0.2			SE	43	16:23	9.5	99		S	6	1021.8	18.4	55		SSE	20	1023.2
10	Th	5.8	19.1	0.2			SW	24	01:44	12.9	51		SW	11	1034.5	18.3	44		ENE	6	1033.0
11	Fr	5.5	20.6	0			ENE	19	15:01	15.7	66		NW	6	1034.8	19.5	46		ESE	7	1030.6
12	Sa	5.4	24.1	0			E	28	16:26	14.3	73		N	6	1031.0	23.9	36		NE	11	1025.7
13	Su	8.0	27.3	0.2			E	24	16:36	15.6	78		WSW	2	1027.2	25.8	29		N	7	1021.8
14	Mo	8.6	28.3	0			NNE	28	15:14	17.5	67		NE	4	1023.8	24.9	37		N	11	1020.4
15	Tu	10.4	28.0	0			E	30	14:55	20.4	52		S	15	1020.5	24.0	50		E	19	1017.3
16	We	7.4	17.9	0			SSW	43	08:40	12.7	35		SSW	24	1028.8	16.8	30		SSE	17	1027.1
17	Th	5.8	20.8	0			SW	33	08:24	11.9	52		WSW	22	1032.5	18.9	32		WSW	6	1030.0
18	Fr	2.7	26.7	0			N	20	15:09	15.1	56		NW	2	1028.9	26.2	22		N	11	1022.6
19	Sa	5.2	30.5	0			SW	35	13:32	19.9	38		NE	7	1024.1	29.9	15		SSW	19	1020.3
20	Su	8.7	33.8	0			WNW	35	15:04	19.6	39		WNW	2	1021.8	33.0	11		WNW	24	1014.7
21	Mo	8.7	32.7	0			SE	43	11:39	31.6	16		NW	17	1015.8	22.7	55		SSE	19	1018.6
22	Tu	11.5	17.2	2.4			SSW	28	11:11	14.4	68		SW	13	1031.1	15.9	68		S	9	1029.3
23	We	12.7	22.6	0.4			SE	20	16:08	17.1	80		SW	9	1030.0	20.5	68		ESE	13	1027.0
24	Th	10.1	26.4	0.2						20.7	71		NNE	6	1030.9	25.3	52		ENE	13	1026.4
25	Fr	13.4		0						16.7	100		ESE	4	1028.8	27.1	43		W	15	1024.2
26	Sa	11.2	35.4	0			S	48	20:51	13.8	99		NW	4	1025.9	32.9	22		W	13	1019.9
27	Su	14.0	16.9	0			SSW	31	10:07	14.9	74		SW	6	1031.4	12.8	98		SSW	9	1032.4
28	Mo	11.6	18.3	2.2			ENE	24	15:51	17.1	52		S	9	1034.2	17.3	52		E	13	1032.5
29	Tu	8.5	22.8	0			N	31	11:15	18.0	51		NE	9	1033.0	21.6	35		N	4	1028.2
30	We	5.6	29.1	0.2			ENE	35	15:11	17.1	59		NNE	4	1027.2	28.0	27		NNE	15	1021.5
Statistics for September 2026																					
	Mean	8.5	25.0							17.1	60			9	1025.8	23.2	39			14	1022.5
	Lowest	2.7	16.9							9.5	16		#	2	1009.8	12.8	11		N	4	1006.8
	Highest	14.0	35.4	2.4			WNW	81		31.6	100		SSW	24	1034.8	33.0	98		WNW	54	1033.0
	Total			8.2																	

Observations were drawn from Badgerys Creek AWS {station 067108}

IDCJDW2005.202609 Prepared at 13:00 UTC on 21 Oct 2026
Copyright © 2026 Bureau of Meteorology
Users of this product are deemed to have read the information and accepted the conditions described in the notes at
http://www.bom.gov.au/climate/dwo/IDCJDW0000.pdf

Parklife Metro © All rights reserved
Confidential

Appendix B Noise Monitoring

TABLE 8 DETAILED NOISE MONITORING DATA

Date	Time	Construction Activity	Activity Location	Monitoring Location	NML (dBA)	Predicted (dBA)	Recorded $LA_{eq(15min)}$ (dBA)	LAmax	LA_{10}	LA_{90}	Exceedance of Predicted (dBA)	PLM Works Compliant with PNL?	Comments
02/09/2026	23:47	OSOM Train Delivery	SMF	43a Luddenham Road, Orchard Hills	39	42	41.9	49.6	43.6	39.8	-0.1	Yes	PLM work was faintly audible but remained around the predicted noise levels with other noise sources coming from crickets, birds, traffic and wind. PLM work was compliant with predicted noise levels.
16/09/2026	6:16	General Works/Material Cranage	STM	4 Chesham Street, St Marys	41	60	52.5	69.7	54.3	47.8	-7.5	Yes	Noise from PLM construction was mostly momentary from walking on scaffolding stairs but dominant noise was from traffic on Glossop Street and birds chirping. PLM construction noise was compliant with the predicted noise levels.
18/09/2026	6:41	Crane Lifting Alarm	BSF	38 Derwent Road, Bradfield	39	49	56.4	77.1	55	47	7.4	Yes	Noise exceedances occurred when 1. site supervisor rang to find out if the alarm could be heard, 2. when a loud bang occurred in the direction of the tower crane at the warehouse construction site on Badgerys Creek Road and 3. when a prime mover with large trailer exited 42 Derwent Road, used compression break, idled while closing the gate loudly, made two banging sounds from the trailer, then revved and slowly exited the premises which registered 75dB. Whilst the alarm was audible from where I stood, the Rion meter did not exceed 47dBA when the alarm sounded and Indian Myna birds were more audible over the top of the alarm. PLM works compliant with predicted noise levels.
22/09/2026	22:14	Escalator Install	STM	3 Chesham Street, St Marys	41	43	42.8	60.9	44.5	39.6	-0.2	Yes	PLM works were periodically audible throughout the monitoring session and was measured to be equal or below the other external background noise sources, which was mainly from traffic passing through Glossop Street. PLM works were compliant with predicted noise levels.

Parklife Metro © All rights reserved
Confidential

Appendix C Discharge to water

TABLE 9 WATER DISCHARGE TABLE

Discharge Monitoring Point ID	Type of Monitoring Point	Type of Discharge Point	Date	Discharge Permit No.	Oil and Grease (Visual Inspection)	pH (6.5-8.5)	Turbidity (50 NTU)
SSTOM-17	Sediment Basin	Discharge into stabilised spillway	08/09/2026	152	None	7.61	42.1

Parklife Metro © All rights reserved
Confidential


Appendix D Surface water monitoring

No surface water monitoring was conducted for this month's monitoring report. Any surface water monitoring conducted as part of Parklife Metro's EPL licence will be presented accordingly.

Parklife Metro © All rights reserved
Confidential

Appendix E Premise Maps – September

Parklife Metro © All rights reserved
Confidential



LEGEND

Discharge Points
- Water Treatment Plant

EPL Premise Boundary
- Surface works
- Sub-surface works

- Metro alignment
- Watercourse
- Western Sydney International boundary (WSP)

Site Access Schedule
- Aerial Stratum
- Project Site
- Substratum

- Temporary Area

Parklife Metro D&C

NOTES
EPL Premise Boundary Map

REV	DATE	DESCRIPTION
51	10.04.2026	Premise Map update
52	13.07.2026	Premise Map update
53	20.07.2026	Premise Map update
54	03.08.2026	Premise Map update
55	12.08.2026	Premise Map update
56	25.09.2026	Premise Map update

TITLE: EPL 21807 PREMISE BOUNDARY


0 40 80m

PROJECT: Sydney Metro – Western Sydney Airport - SSTOM

CLIENT: Sydney Metro

SCALE		DRAWN BY	APPROVED	MAP #	REV
1:2,000	A3	DD	JB	SMWSASSM-PLD-1NL-ENV-GIS-000001_56	56
SHEET: 1 of 12	COORDINATE SYSTEM: GDA2020 MGA Zone 56	REVIEW: JB	DATE: 25/09/2026		

GIS MAP file: SSTOM_ENV_EPL | C:\Live_Projects\sstom_gis\a_current\maps\Environment\SSTOM_ENV_EPL.aprx



LEGEND

Discharge Points
- Temporary Sediment Basin

EPL Premise Boundary
- Surface works
- Sub-surface works

- Metro alignment
- Watercourse
- Western Sydney International boundary (WSP)

Site Access Schedule
- Project Site
- Substratum
- Temporary Area

0 140 280m


Parklife Metro D&C

NOTES
EPL Premise Boundary Map

REV	DATE	DESCRIPTION
51	10.04.2026	Premise Map update
52	13.07.2026	Premise Map update
53	20.07.2026	Premise Map update
54	03.08.2026	Premise Map update
55	12.08.2026	Premise Map update
56	25.09.2026	Premise Map update

TITLE: EPL 21807 PREMISE BOUNDARY
PROJECT: Sydney Metro – Western Sydney Airport - SSTOM
CLIENT: Sydney Metro
SCALE: 1:7,500 A3
DRAWN BY: DD
APPROVED: JB
MAP # / REV.: SMWSASSM-PLD-1NL-ENV-GIS-000001_56 / 56
SHEET: 2 of 12
COORDINATE SYSTEM: GDA2020 MGA Zone 56
REVIEW: JB
DATE: 25/09/2026

GIS MAP file: SSTOM_ENV_EPL | C:\Live_Projects\sstom_gis\a_current\maps\Environment\SSTOM_ENV_EPL.aprx



LEGEND:

Discharge Points
- Temporary Sediment Basin

EPL Premise Boundary
- Surface works
- Sub-surface works

- Metro alignment
- Watercourse
- Western Sydney International boundary (WSP)

Site Access Schedule
- Project Site
- Substratum
- Temporary Area

Parklife Metro D&C

NOTES
EPL Premise Boundary Map

REV	DATE	DESCRIPTION
51	10.04.2026	Premise Map update
52	13.07.2026	Premise Map update
53	20.07.2026	Premise Map update
54	03.08.2026	Premise Map update
55	12.08.2026	Premise Map update
56	25.09.2026	Premise Map update

TITLE: EPL 21807 PREMISE BOUNDARY


PROJECT: Sydney Metro – Western Sydney Airport - SSTOM

CLIENT: Sydney Metro

0 40 80m

SCALE	DRAWN BY	APPROVED	MAP #	REV.
1:2,000 A3	DD	JB	SMWSASSM-PLD-1NL-ENV-GIS-000001_56	56
SHEET: 3 of 12	COORDINATE SYSTEM: GDA2020 MGA Zone 56	REVIEW: JB	DATE: 25/09/2026	

GIS MAP file : SSTOM_ENV_EPL | C:\Live_Projects\sstom_gis\a_current\maps\Environment\SSTOM_ENV_EPL.apnx



LEGEND

Discharge Points
- Temporary Sediment Basin

EPL Premise Boundary
- Surface works
- Sub-surface works

- Metro alignment
- Watercourse
- Western Sydney International boundary (WSP)

Site Access Schedule
- Project Site
- Substratum
- Temporary Area

0 100 200m


Parklife Metro D&C

NOTES
EPL Premise Boundary Map

REV	DATE	DESCRIPTION
51	10.04.2026	Premise Map update
52	13.07.2026	Premise Map update
53	20.07.2026	Premise Map update
54	03.08.2026	Premise Map update
55	12.08.2026	Premise Map update
56	25.09.2026	Premise Map update

TITLE: EPL 21807 PREMISE BOUNDARY	PROJECT: Sydney Metro – Western Sydney Airport - SSTOM		CLIENT: Sydney Metro
	SCALE: 1:5,250 A3	DRAWN BY: DD	APPROVED: JB
	SHEET: 4 of 12	COORDINATE SYSTEM: GDA2020 MGA Zone 56	REVIEW: JB
			DATE: 25/09/2026
			MAP #: SMWSASSM-PLD-1NL-ENV-GIS-000001_56
			REV: 56

GIS MAP file : SSTOM_ENV_EPL | C:\Live_Projects\sstom_gis\a_current\maps\Environment\SSTOM_ENV_EPL.aprx



LEGEND:

Discharge Points
- Temporary Sediment Basin

EPL Premise Boundary
- Surface works
- Sub-surface works

- Metro alignment
- Watercourse
- Western Sydney International boundary (WSP)

Site Access Schedule
- Project Site
- Temporary Area

Parklife Metro D&C

NOTES
EPL Premise Boundary Map

REV	DATE	DESCRIPTION
51	10.04.2026	Premise Map update
52	13.07.2026	Premise Map update
53	20.07.2026	Premise Map update
54	03.08.2026	Premise Map update
55	12.08.2026	Premise Map update
56	25.09.2026	Premise Map update

TITLE: EPL 21807 PREMISE BOUNDARY

PROJECT: Sydney Metro – Western Sydney Airport - SSTOM

CLIENT: Sydney Metro


0 100 200m

SCALE: 1:5,000 A3 | DRAWN BY: DD | APPROVED: JB

SHEET: 5 of 12 | COORDINATE SYSTEM: GDA2020 MGA Zone 56 | REVIEW: JB | DATE: 25/09/2026

MAP #: SMWSASSM-PLD-1NL-ENV-GIS-000001_56 | REV: 56

GIS MAP file : SSTOM_ENV_EPL | C:\Live_Projects\sstom_gis\a_current\maps\Environment\SSTOM_ENV_EPL.aprx



LEGEND:

Discharge Points
- Temporary Sediment Basin

EPL Premise Boundary
- Surface works
- Sub-surface works

- Metro alignment
- Watercourse
- Western Sydney International boundary (WSP)

Site Access Schedule
- Aerial Stratum
- Project Site
- Temporary Area

Parklife Metro D&C

NOTES: EPL Premise Boundary Map

REV	DATE	DESCRIPTION
51	10.04.2026	Premise Map update
52	13.07.2026	Premise Map update
53	20.07.2026	Premise Map update
54	03.08.2026	Premise Map update
55	12.08.2026	Premise Map update
56	25.09.2026	Premise Map update

TITLE: EPL 21807 PREMISE BOUNDARY

PROJECT: Sydney Metro – Western Sydney Airport - SSTOM


CLIENT: Sydney Metro

0 100 200m

SCALE: 1:5,000 A3 | DRAWN BY: DD | APPROVED: JB | MAP # / REV.: SMWSASSM-PLD-1NL-ENV-GIS-000001_56 / 56

SHEET: 6 of 12 | COORDINATE SYSTEM: GDA2020 MGA Zone 56 | REVIEW: JB | DATE: 25/09/2026

GIS MAP file : SSTOM_ENV_EPL | C:\Live_Projects\sstom_gis\a_current\maps\Environment\SSTOM_ENV_EPL.apx



LEGEND

Discharge Points
- Temporary Sediment Basin

EPL Premise Boundary
- Surface works
- Sub-surface works

- Metro alignment
- Watercourse
- Western Sydney International boundary (WSP)

Site Access Schedule
- Aerial Stratum
- Project Site
- Temporary Area

Parklife Metro D&C

NOTES
EPL Premise Boundary Map

REV	DATE	DESCRIPTION
51	10.04.2026	Premise Map update
52	13.07.2026	Premise Map update
53	20.07.2026	Premise Map update
54	03.08.2026	Premise Map update
55	12.08.2026	Premise Map update
56	25.09.2026	Premise Map update

TITLE: EPL 21807 PREMISE BOUNDARY

0 100 200m

PROJECT: Sydney Metro – Western Sydney Airport - SSTOM

CLIENT: Sydney Metro

SCALE: 1:5,000 | A3 | DRAWN BY: DD

APPROVED: JB

MAP #: SMWSASSM-PLD-1NL-ENV-GIS-000001_56

REV: 56


SHEET: 7 of 12

COORDINATE SYSTEM: GDA2020 MGA Zone 56

REVIEW: JB

DATE: 25/09/2026

GIS MAP file: SSTOM_ENV_EPL | C:\Live_Projects\sstom_gis\a_current\maps\Environment\SSTOM_ENV_EPL.aprx



LEGEND

Discharge Points
- Temporary Sediment Basin

EPL Premise Boundary
- Surface works
- Sub-surface works

- Metro alignment
- Watercourse
- Western Sydney International boundary (WSP)

Site Access Schedule
- Aerial Stratum
- Project Site
- Temporary Area

0 100 200m


Parklife Metro D&C

NOTES
EPL Premise Boundary Map

REV	DATE	DESCRIPTION
51	10.04.2026	Premise Map update
52	13.07.2026	Premise Map update
53	20.07.2026	Premise Map update
54	03.08.2026	Premise Map update
55	12.08.2026	Premise Map update
56	25.09.2026	Premise Map update

TITLE: EPL 21807 PREMISE BOUNDARY
PROJECT: Sydney Metro – Western Sydney Airport - SSTOM
CLIENT: Sydney Metro
SCALE: 1:5,000 A3
DRAWN BY: DD
APPROVED: JB
MAP #: SMWSASSM-PLD-1NL-ENV-GIS-000001_56
REV: 56
SHEET: 8 of 12
COORDINATE SYSTEM: GDA2020 MGA Zone 56
REVIEW: JB
DATE: 25/09/2026

GIS MAP file: SSTOM_ENV_EPL | C:\Live_Projects\sstom_gis\a_current\maps\Environment\SSTOM_ENV_EPL.aprx



LEGEND

Discharge Points
- Temporary Sediment Basin

EPL Premise Boundary
- Surface works
- Sub-surface works

- Metro alignment
- Watercourse
- Western Sydney International boundary (WSP)

Site Access Schedule
- Aerial Stratum
- Project Site
- Substratum

- Temporary Area

Parklife Metro D&C

NOTES
EPL Premise Boundary Map

REV	DATE	DESCRIPTION
51	10.04.2026	Premise Map update
52	13.07.2026	Premise Map update
53	20.07.2026	Premise Map update
54	03.08.2026	Premise Map update
55	12.08.2026	Premise Map update
56	25.09.2026	Premise Map update

TITLE: EPL 21807 PREMISE BOUNDARY


0 100 200m

PROJECT: Sydney Metro – Western Sydney Airport - SSTOM

CLIENT: Sydney Metro

SCALE	DRAWN BY	APPROVED	MAP #	REV
1:5,000 A3	DD	JB	SMWSASSM-PLD-1NL-ENV-GIS-000001_56	56
SHEET: 9 of 12	COORDINATE SYSTEM: GDA2020 MGA Zone 56	REVIEW: JB	DATE: 25/09/2026	

GIS MAP file : SSTOM_ENV_EPL | C:\Live_Projects\sstom_gis\a_current\maps\Environment\SSTOM_ENV_EPL.aprx



LEGEND

Discharge Points
- Temporary Sediment Basin

EPL Premise Boundary
- Surface works
- Sub-surface works

- Metro alignment
- Watercourse
- Western Sydney International boundary (WSP)

Site Access Schedule
- Project Site
- Temporary Area

Parklife Metro D&C

NOTES
EPL Premise Boundary Map


REV	DATE	DESCRIPTION
51	10.04.2026	Premise Map update
52	13.07.2026	Premise Map update
53	20.07.2026	Premise Map update
54	03.08.2026	Premise Map update
55	12.08.2026	Premise Map update
56	25.09.2026	Premise Map update

TITLE: EPL 21807 PREMISE BOUNDARY
PROJECT: Sydney Metro – Western Sydney Airport - SSTOM
CLIENT: Sydney Metro

0 100 200m

SCALE: 1:5,000 A3
DRAWN BY: DD
APPROVED: JB
MAP #: SMWSASSM-PLD-1NL-ENV-GIS-000001_56
REV: 56
SHEET: 10 of 12
COORDINATE SYSTEM: GDA2020 MGA Zone 56
REVIEW: JB
DATE: 25/09/2026

GIS MAP file : SSTOM_ENV_EPL | C:\Live_Projects\sstom_gis\a_current\maps\Environment\SSTOM_ENV_EPL.aprx



LEGEND

Discharge Points
- Temporary Sediment Basin

EPL Premise Boundary
- Surface works
- Sub-surface works

- Metro alignment
- Watercourse
- Western Sydney International boundary (WSP)

Site Access Schedule
- Project Site
- Substratum
- Temporary Area

0 100 200m


Parklife Metro D&C

NOTES
EPL Premise Boundary Map

REV	DATE	DESCRIPTION
51	10.04.2026	Premise Map update
52	13.07.2026	Premise Map update
53	20.07.2026	Premise Map update
54	03.08.2026	Premise Map update
55	12.08.2026	Premise Map update
56	25.09.2026	Premise Map update

TITLE: EPL 21807 PREMISE BOUNDARY
PROJECT: Sydney Metro – Western Sydney Airport - SSTOM
CLIENT: Sydney Metro
SCALE: 1:5,000 A3
DRAWN BY: DD
APPROVED: JB
SHEET: 11 of 12
COORDINATE SYSTEM: GDA2020 MGA Zone 56
REVIEW: JB
DATE: 25/09/2026
MAP # / REV.: SMWSASSM-PLD-1NL-ENV-GIS-000001_56 / 56

GIS MAP file: SSTOM_ENV_EPL | C:\Live_Projects\sstom_gis\a_current\maps\Environment\SSTOM_ENV_EPL.aprx



LEGEND

Discharge Points
- Temporary Sediment Basin
- Water Treatment Plant

EPL Premise Boundary
- Surface works
- Sub-surface works

- Metro alignment
- Watercourse
- Western Sydney International boundary (WSP)

Site Access Schedule
- Project Site
- Substratum
- Temporary Area

Parklife Metro D&C

NOTES
EPL Premise Boundary Map

REV	DATE	DESCRIPTION
51	10.04.2026	Premise Map update
52	13.07.2026	Premise Map update
53	20.07.2026	Premise Map update
54	03.08.2026	Premise Map update
55	12.08.2026	Premise Map update
56	25.09.2026	Premise Map update

TITLE: EPL 21807 PREMISE BOUNDARY
PROJECT: Sydney Metro – Western Sydney Airport - SSTOM
CLIENT: Sydney Metro

0 100 200m

SCALE: 1:5,000 A3
DRAWN BY: DD
APPROVED: JB
MAP # / REV.: SMWSASSM-PLD-1NL-ENV-GIS-000001_56 56
SHEET: 12 of 12
COORDINATE SYSTEM: GDA2020 MGA Zone 56
REVIEW: JB
DATE: 25/09/2026

GIS MAP file : SSTOM_ENV_EPL | C:\Live_Projects\sstom_gis\a_current\maps\Environment\SSTOM_ENV_EPL.apnx